

CAMBRIDGE LIMITED LIFETIME ARCHITECTURAL SHINGLES



BE CHILDER

Cambridge AR Super White shingles meet ENERGY STAR® requirements.



See Limited Warranty for complete terms, conditions, restrictions and application requirements. 'High Wind Application is required.



Cambridge Weighs In On Top

When it comes to shingles, Cambridge remains one of the heaviest in its class in the marketplace.









Cambridge

LIMITED LIFETIME ARCHITECTURAL SHINGLES

The Cambridge shingle is the shingle of choice for homeowners who demand the best in terms of quality, durability and value. Combining an extraordinary shake-like design with superior protection makes it a time-tested favorite.

Cambridge shingles are engineered to offer customers more protection and peace of mind with a larger, heavier and more durable shingle. Constructed with two layers of heavyweight fiberglass mat, more asphalt and less fillers, these shingles set the standard by offering a Limited Lifetime Warranty, superior tear strength and resistance to high winds.

- Cambridge AR shingles feature an algae resistant granule.
- 15-Year IKO Iron Clad Protection¹
- Covered by a Limited Lifetime Warranty1
- Provides up to 110 mph (177 km/h) Limited Wind Warranty¹
- Limited High Wind Warranty Upgrade of 130 mph (210 km/h)^{1,2}
- Miami-Dade Approved³
- ¹ See Limited Warranty for complete terms, conditions, restrictions and application requirements.
- ² High Wind Application is required.
- ³ NOA # 10-0913.02 for product made in Kankakee. Expiry date 5/5/2016.



A Time-Tested Favorite

The Cambridge shingle is selected by consumers who demand the best in terms of quality, durability and value.





Architectural Charm

Cambridge shingles are layered to create shadows and depth. Eye-catching as a shake roof, they elevate your home's curb appeal.

Product Specifications	Length	Width	Exposure	Coverage Per Bundle	Standards⁺	Limited Warranty ¹	Iron Clad Protection ¹	Limited Wind Warranty ¹	Limited High Wind Warranty Upgrade ^{1,2}	Algae Resistant ¹
Cambridge	40 7/8 in (1038 mm)	13 3/4 in (349 mm)	5 7/8 in (149 mm)	33.3 ft² (3.1 m²)	ASTM D3462 ASTM D3018 ASTM D3161 - Class F ASTM E108 - Class A ASTM D7158 - Class H CSA A123.5 CSA A123.51 CSA A123.52	Limited Lifetime	15 Years	110 mph (177 kph)	130 mph (210 kph)	
Cambridge AR	40 7/8 in (1038 mm)	13 3/4 in (349 mm)	5 7/8 in (149 mm)	33.3 ft² (3.1 m²)	ASTM D3462 ASTM D3018 ASTM D3161- Class F ASTM E108 - Class A ASTM D7158 - Class H CSA A123.5 CSA A123.51 CSA A123.52	Limited Lifetime	15 Years	110 mph (177 kph)	130 mph (210 kph)	1

Note: All values shown are approximate. 1 Product is designed and tested to comply with ASTM/CSA Standards at time of manufacture prior to packaging. 1 See Limited Warranty for complete terms, conditions, restrictions and application requirements. 2 High Wind Application is required.



Shingles alone are sometimes not enough to protect your home. IKO has developed a superior multi-layered roofing system incorporating our industry-leading products.

IKO's Pro 4 Roofing System is setting the standard in protecting your home.

IKO's Shingles Crowne Slate, Armourshake, Royal Estate, Grandeur*, Cambridge and Marathon shingles are created using the industry's most advanced technology and selected by consumers who demand the best in terms of quality, durability and value. Along with one of IKO's quality shingles, your Pro 4 System includes these accessory products;





GoldShield, ArmourGard, or StormShield Ice & Water Protectors

IKO's Ice & Water Protectors provide a second line of defense against water penetration due to ice dams or wind-driven rain and the costly damage it can cause. This product is also strongly recommended for sealing around vents, low pitch areas, ridges, hips, rake edges, chimneys, dormers, vent stacks, and skylights.

Leading Edge Plus Starter Strips

Fast, easy and convenient. IKO's Starter Strips are already cut to size saving valuable time during the installation of the first course of shingles. Compatible with all existing IKO Shingles, Leading Edge Plus includes a sealant strip at the bottom edge allowing for a tight seal.





Asphalt Saturated Felt^{*}, RoofGard-SB or RoofGard-Cool Grey Underlayments

Use an asphalt saturated felt underlayment, or our innovative RoofGard-SB or RoofGard-Cool Grey synthetic underlayments for total deck protection.

Hip and Ridge, Hip & Ridge 12 Cap Shingles or Ultra HP[™] High Profile Ridge Cap Shingles

Ridge cap shingles are required where roof planes meet, and provide additional protection along these high stress areas of the roof, enhancing your home's aesthetic appeal by accentuating the roof line.

Shingle Swatches shown are as accurate as modern printing processes allow. Shingle chips shown do not fully represent the entire color blend range of the shingles. To ensure complete satisfaction please make your final color selection from several full size shingles and view a sample of the product installed on a home. The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.

*Product Availability may vary by region



Find out more about our products now by talking to an **IKO** Sales Representative, your professional roofing contractor or contact us directly at:

United States 1-888-IKO-ROOF Eastern Canada 1-888-766-2468 Western Canada 1-800-661-1034 or visit our web site at: **www.iko.com**

🕏 Copyright 02/11 - MR9L02